

## STORM WATER 1200-COLS - SAMPLING INSTRUCTIONS

Please review prior to sample collection

- Collect sample from the site specified in your permit.
- Fill all sample bottles to the bottom of neck or to the designated fill line.
- **Please Use Caution** when filling containers, as they may contain an acid preservative. **Do not rinse out the preservative.** Depending on your company's permit requirements, there may be additional bottles included. Please treat them in the same manner as specified above.
- Fill out labels on sample bottles.
- Place double bagged ice in cooler with sample bottles.
- Fill out the Chain of Custody Agreement below.
- Sign and date the form at Relinquished By.
- Samples must be returned to the laboratory within **6 hours** from time of collection to ensure the E.coli is analyzed within holding time.

### CHAIN OF CUSTODY AGREEMENT

Company: \_\_\_\_\_  
 Contact: \_\_\_\_\_  
 Shipping (Street) Address: \_\_\_\_\_  
 Reporting Address: \_\_\_\_\_  
 City, State, Zip: \_\_\_\_\_  
 Telephone: ( \_\_\_\_\_ ) \_\_\_\_\_ Fax: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Email: \_\_\_\_\_

<b>Complete using information From your NPDES Permit</b>	<b>1200COLS Permit</b>	<b>Basic Analytes:</b> pH, BOD, TSS Metals (Cu, Pb, Zn) Oil & Grease Total Phosphorous E.coli	<b>Container:</b> 1L Plastic 250-mL Plastic HNO <sub>3</sub> 1L Amber H <sub>2</sub> SO <sub>4</sub> 250-mL Plastic H <sub>2</sub> SO <sub>4</sub> 125-mL Sterile Bottle
DEQ File #:		<b>Special Analytes:</b> Metals (Al, Cd, Cr, Ni, Fe) Nitrate/Nitrite COD PCBs	(Use Bottle Above) (Use Bottle Above) (Use Bottle Above) 1L Amber (2)
Site Name: _____	Collection Date: _____		
Sample Location at Site: _____	Time: _____		
Collected By: (Please Print Name)			pH Reading:
Relinquished By: (Please Sign Name)			
For Lab Use Only			Date: _____ Time: _____
Received By:			
Client Alias:	Job #:		Temperature:
Evidence of Cooling <input type="checkbox"/> Yes <input type="checkbox"/> No			